

FB70D

Discover the pleasure of performance



- Max. permitted total weight 9 000 kg
- Maximum loading length 4,4 m
- Crane with a maximum reach of 6,9 m

Trailer FB70D

FTG Källefäll forestry trailer FB70D has a loading capacity of 7 000 kg and a permissible total weight of 9 000 kg.

FB70D is a forestry trailer with a crane range from 5,1 m to 6.9 m of reach. It is suitable for transporting timber, firewood, pulpwood and other logs.

FB70D trailer has a double beam frame, bogie axle, stable protective gates, straight drawbar with rotating towing eye Ø 50 mm, drawbar steering with 1 hydraulic cylinder, telescopic A-type supports legs with block valves, frame extension with integrated LED rear lights, eyelets for tension belt, 2 stake holders at the rear for

cross loading, 4 pairs of bunks with 8 stakes in total, wheels 400/60-15.5 with grooved profile and valve protection.

FB70D trailer can also be equipped with a wheel drive (Black Bruin, B240 hub motors) on the rear axle and its own oil supply for optimum traction.

To meet the specific needs of each user and to expand the areas of use, FB70D trailers have a wide range of options and accessories.

FB70D combined with FTG Källefäll forestry crane offers high reliability and efficiency.

Suitable cranes:

- [FB51L](#) - [FB63TS](#) - [P52](#)
- [FB53T](#) - [FB69T](#) - [P57](#)
- [FB63T](#) - [M65T](#) - [P67T](#)


Technical characteristics

Trailer with standard equipment

Parameter	FB70D	Parameter	FB70D
Permitted total weight*, kg	9 000	Wheels	400/60-15.5
Loading capacity, kg	7 000	Hydr. drawbar steering	1 cylinder
Load area, m ²	1,9	Hydr. support legs	Teleskopic
Weight,*, kg	1 870	Bunks	4
Load length, m	4,4	Stakes	8
Frame, mm	140x70	WD system	Optional

* Weights may vary depending on the equipment and brakes

Technical drawings



Trailer	Crane	Wheels	A	B	C	D	E	F	G	H
FB70D / FB70D-2WD	FB51L	500/50-17	3810-4380	2075-2300	2240	2000	1385	1390	430-930	640
	FB53T		3810-4380	2075-2300	2240	2000	1385	1330	430-930	640
	FB63T(S)		3810-4380	2075-2300	2240	2000	1385	1360	430-930	640
	FB69T		3810-4380	2075-2300	2240	2000	1385	1450	430-930	640
	M65T		3810-4380	2075-2300	2240	2000	1385	1600	430-930	640
	P52		3810-4380	2075-2300	2240	2000	1385	1800	430-930	640
	P57		3810-4380	2075-2300	2240	2000	1385	1800	430-930	640
P67T	3810-4380	2075-2300	2240	2000	1385	1800	430-930	640		

* Dimensions may vary depending on the equipment

Brake system options

- Hydraulic brakes
- Overrun brakes
- Overrun and hydraulic brakes
- Air brakes

Drawbar options

- Downwards
- Upwards

FB70D accessories

<p>Independent hydraulic system</p>		<p>Toolbox with cover</p>		<p>Insert plates</p>	
<p>Stake connection</p>		<p>Operators platform with ladder</p>		<p>Operators platform with seat</p>	
<p>Parking leg</p>		<p>Height adjustable parking leg</p>		<p>Stake extension</p>	
<p>Protective plates for support legs</p>		<p>Fuel tank holder with tank</p>		<p>Wheel support set</p>	
<p>Plywood floor</p>		<p>Registration plate light protection bar</p>		<p>Wheels 400/60-15.5 Traction profile</p>	
<p>Wheels 480/45-17 Traction profile</p>		<p>Wheels 500/50-17 Traction profile</p>			



FTG BALTIC UAB

Dūmų st. 3 K20
 LT-11119 Vilnius, Lithuania
 +370 5 246 23 18
sales.vilnius@ftgforest.com

For more information: www.ftgkallefall.com

By combining our Swedish heritage with constant innovation based on the needs of customers, we design forest trailers and cranes that impress by their consistently pleasant performance.

FTG Källefall forestry trailers can pass through challenging terrains and are robustly built to withstand tough conditions in the forest. Trailers' permissible total weight varies from 1,9 to 16 tonnes. Our trailers can be supplemented with telescopic cranes, ranging from 4,0 to 9,4 meters reach. Källefall cranes are strong, fast, and easy to operate. We also offer a wide range of timber grapples and other accessories to meet different needs.